



# **DIVYOL SPINE EP 140 API GL4**

# High Performance Gear Oil

## **Applications**

Divyol Spine EP 140 is a specially developed gear oil for both old and new generation vehicles including spiral, bevel, worm and syncromesh manual gears and transmission systems. It also improves efficiency of transmissions and axles under moderate to severe load and pressure conditions.

## **Specifications**

Divyol Spine EP 140 meets and exceeds OEM performance standards as per API GL4, BIS 1118-92 RA 2011 (EP TYPE-GL4) and US MIL-L-2105.

#### **Pack Sizes**

500 ml, 1 L, 5 L, 10 L, 20 L, 26 L, 50 L, 210 L.

#### **Advantages**

Divyol Spine EP 140 helps extend the service life of gears by providing excellent corrosion resistance thus significantly reducing maintenance costs and noise level. It also facilitates high load carrying capacity, especially at high speeds.

Sr. No.	Characteristics	Test Method	иом	Divyol Spine EP 140
1	Appearance	Visual	-	Bright and clear
2	Colour, max.	ASTM D 1500	-	6
3	Specific gravity at 29.5 °C	ASTM D 1298	-	To report
4	Kinematic viscosity at 100 °C	ASTM D 445	cSt	24 – 35
5	Viscosity index, min.	ASTM D 2270	-	90
6	Flash point, min. COC	ASTM D 92	∘C	190
7	Pour point, max.	ASTM D 97	°C	-6

Disclaimer: Gandhar makes no warranties, representation or conditions of any kind expressed or implied for use with respect to these products. Final determination of suitability of the product for the application contemplated by the users is solely their responsibility.

Storage: All packages should be stored under cover. Avoid direct sun light or heat. Keep the container in closed / properly sealed condition to avoid contamination.

Handling, Health & safety: As with all the products, please take care to avoid environmental contamination when disposing of this product. Do not dispose the used oil to soil, drains and water. Avoid contact with skin and eyes. After skin contact wash with soap and water. This product should not cause any health problems when used in the applications suggested and the guidance provided in the safety data sheet (SDS) is followed.

