

DIVYOL TQX II – TYPE: DEXRON II G

Hydraulic Transmission Fluid

Applications

Divyol TQX DEXRON II G is a superior quality transmission and power steering oil specially formulated for modern automatic transmission cars. It is ideal for automatic transmission systems, power steering and hydraulic fluid applications in passenger cars and commercial vehicles.

Specifications

Divyol TQX DEXRON II G automatic transmission fluid is developed using select hydro finished base oils and additives. It meets and exceeds leading OEM specifications and conforms to performance level of vehicles requiring Dexron II fluid.

Pack Sizes

500 ml, 1 L, 5 L, 26 L, 50 L, 210 L.

Advantages

Divyol TQX DEXRON II G automatic transmission fluid has the required friction characteristics for a smooth transmission performance. It retains good fluidity even at low temperatures. It also has excellent anti-oxidation, dispersancy, anti-wear and de-foaming properties. These qualities extend the service life of seal components and ensure complete and effective protection, especially to the critical and complex transmission components.

Sr. No.	Characteristics	Test Method	UOM	Specifications
1	Appearance	Visual	-	Bright and clear
2	Colour, max.	ASTM D 1500	-	Red
3	Specific gravity at 29.5 °C	ASTM D 1298	-	To report
4	Kinematic viscosity at 100 °C	ASTM D 445	cSt	7 – 8.5
5	Viscosity index, min.	ASTM D 2270	-	160
6	Flash point, min. COC	ASTM D 92	°C	180
7	Pour point, max.	ASTM D 97	°C	-39

Disclaimer: Gandhar makes no warranties, representation or conditions of any kind expressed or implied for use with respect to these products. Final determination of suitability of the product for the application contemplated by the users is solely their responsibility.

Storage: All packages should be stored under cover. Avoid direct sun light or heat. Keep the container in closed / properly sealed condition to avoid contamination.

Handling, Health & safety: As with all the products, please take care to avoid environmental contamination when disposing of this product. Do not dispose the used oil to soil, drains and water. Avoid contact with skin and eyes. After skin contact wash with soap and water. This product should not cause any health problems when used in the applications suggested and the guidance provided in the safety data sheet (SDS) is followed.